

PHILIPS

Modular Switches

South

Signify Innovations India Ltd.
(Formerly known as Philips Lighting India Ltd.)
Sunny Side #8/17,
3rd floor, C block ,
Shafee Mohammed road ,
Greams Road,
Chennai-600 006.
Tel :- 91 44 6650 1000
Fax :- 91 44 6650 1075
support.philipslightingindia@signify.com

East


Signify Innovations India Ltd.
(Formerly known as Philips Lighting India Ltd.)
22 Camac Street, 6th Floor, Block B,
Kolkata-700016
Tel : 91 33 2486 7621-24
Fax : 91 33 2486 8318
support.philipslightingindia@signify.com

West

Signify Innovations India Ltd.
(Formerly known as Philips Lighting India Ltd.)
Boomerang, B2 Wing, 5th Floor,
Unit No – 506, Chandivali Farm
Road, Near Chandivali Studio,
Andheri East, Mumbai-400072 India.
Tel :- 91 22 6691 2000
Fax :- 91 22 6691 2389 / 6691 2398
support.philipslightingindia@signify.com

North

Signify Innovations India Ltd.
(Formerly known as Philips Lighting India Ltd.)
9th Floor, DLF - 9B, DLF Cyber City
DLF Phase 3, Gurgaon 122002
Tel :- 91 124 460 6000
Fax :- 91 124 460 6666
support.philipslightingindia@signify.com




Now trust is just a switch away!

Wide variety of Switches, MCB & Accessories

Effective from 1st January 2020

For more information contact us at lighting.india@philips.com or call at 1800 102 2929
www.lighting.philips.co.in

Industry Leading Features



At Philips, we strive to make the world healthier and more sustainable through innovation. In an endeavour to make your home beautiful and safer, Philips has introduced a range of modular switches and MCBs.

Philips Modular Switches are break-proof, built to last and come with 10 years warranty. These are tested for upto 2 lakh clicks. Attributes like Dual Shutter safety, break proof and water resistance make them durable even in tough conditions.



TripleProtection® Technology

Philips Modular Switches are made up of 100% polycarbonate material that make them shock proof. Its precision design prevents seepage of water inside even from wet hands. These switches are protected by spark shield technology.



DualShutter® Technology



Philips Modular Switches have got separate in-built shutters for top and bottom sockets that make them easy fit for 2 pin plugs in the 3 pin socket.



Innovative Front Removal & Insertion Technology

These new-age switches have got inserts that are front fixing as well as removable. You donot need to remove the grid/inner plate during installation.

It also helps in preserving POP around plates, keeping wall finish intact.



ECO-Friendly® Technology




Anti-Bacterial Range

PRESENTING

Anti-Bacterial Range

- Silver-Based Antimicrobial
- Bacti-Safe
- Non-Toxic
- Lifelong
- Durability
- Fire Retardant



Global product description	12NC	Unit MRP
Controller		
Fan regulator 100W Smart Antibac	913713819201	606.00
Fan regulator 1M100W Smart Antibac	913713819301	461.00
Switch		
Switch 1M-1W 10AX Smart Antibac	913713825501	116.00
Switch Ind 1M1W 10AX Smart Antibac	913713820201	187.00
Switch 1M-2W 10AX Smart Antibac	913713820301	153.00
Bell push-1M 10A Smart Antibac	913713820401	133.00
Bell push ind-1M 10A Smart Antibac	913713820501	160.00
Jumbo B.P Ind-2M10A Smart Antibac	913713820601	204.00
Switch 1M-1W 16AX Smart Antibac	913713820701	156.00
Switch ind1M-1W 16AX Smart Antibac	913713820801	231.00
Switch 1M-2W 16A Smart Antibac	913713820901	270.00
Switch 1M-1way 20A Smart Antibac	913713821101	166.00
Switch Ind. 1M1W 20A Smart Antibac	913713821001	231.00
Switch DP-2M 20A Smart Antibac	913713821201	387.00
Switch DP-2M 32A Smart Antibac	913713821301	540.00
Functional insert		
1M INDICATOR Smart Antibac	913713819401	154.00
Switch blank -1M Smart Antibac	913713821401	32.00
RJ 11 w/o Shutter Smart Antibac	913713821501	91.00
RJ11 with Shutter Smart Antibac	913713821601	134.00
Connector TV Socket Smart Antibac	913713821801	145.00
RJ 45 with Socket Smart Antibac	913713821901	541.00
Motor starter 20A Smart Antibac	913713822801	549.00
Motor starter 25A Smart Antibac	913713822901	549.00
Trip starter - 6A - Smart Antibac	913713824101	219.00
Trip starter - 10A - Smart Antibac	913713824201	219.00
Trip starter - 16A - Smart Antibac	913713824301	219.00
Trip starter - 20A - Smart Antibac	913713824401	219.00
Trip Starter 25A Smart Antibac	913713824501	219.00
Trip Starter 32A Smart Antibac	913713824601	219.00
ShaverSocket 115/240V Smart Antibac	913713825101	3311.00
1M USB Charger 2.0 Smart Antibac	913713825301	858.00
Socket		
2 Pin socket -1M 6A Smart Antibac	913713822101	116.00
2/3 Pin socket 2M 6A Smart Antibac	913713822201	160.00
5 Pin socket -2M 6A Smart Antibac	913713822301	171.00
3Pin socket 2M 16A Smart Antibac	913713822501	255.00
3Pin socket 2M 6-16A Smart Antibac	913713822601	266.00
3Pin socket-2M 6-25A Smart Antibac	913713822701	304.00
2/3 Pin socket 6A Smart Antibac	913713825401	160.00
Universal Skt 2M 13A Smart Antibac	913713822401	290.00
Grid & Cover		
Grid & Cover-1M Smart Antibac	913713823001	103.00
Grid & Cover-2M Smart Antibac	913713823101	103.00
Grid & Cover-3M Smart Antibac	913713823201	127.00
Grid & Cover-4M Smart Antibac	913713823301	152.00
Grid & Cover-6M Smart Antibac	913713823401	212.00
Grid & Cover-8ML Smart Antibac	913713823501	274.00
Grid & Cover-8M Sq. Smart Antibac	913713823601	274.00
Grid & Cover-12M Smart Antibac	913713823801	345.00
Grid & Cover 16M Smart Antibac	913713823901	367.00
Grid & Cover-18M Smart Antibac	913713824001	400.00
Hotel Range		
DND & MMR Indicator Smart Antibac	913713824701	680.00
DND Switch 6A 1W with ind Smart Antibac	913713824801	171.00
MMR Switch with ind 1M 1W 6A Smart Antibac	913713824901	171.00
Foot Lamp 2M Smart Antibac	913713825201	546.00

Mirror Glaze Range

PRESENTING

Mirror Glaze

- Multiple colours/sparkle options for superior look
- Easy to clean
- Light weight/ultra-durable
- Suitable for uneven wall finish
- Suitable for most available boxes
- Can be fitted on wooden box
- Great strength due to unique honeycomb construction
- Dust does not accumulate on the surface
- Easy front in/out installation



Grid & Cover



Global product description	12NC	RPU*	Unit MRP
Grid & Cover - 1M MirrorGlaze White	913713946301	1	465/-
Grid & Cover - 2M MirrorGlaze White	913713946401	1	465/-
Grid & Cover - 3M MirrorGlaze White	913713946501	1	660/-
Grid & Cover - 4M MirrorGlaze White	913713946601	1	865/-
Grid & Cover - 6M MirrorGlaze White	913713946701	1	1135/-
Grid & Cover - 8M MirrorGlaze White	913713946801	1	1230/-
Grid & Cover - 8M Sq MirrorGlaze White	913713645201	1	1755/-
Grid & Cover - 12M MirrorGlaze White	913713645301	1	2326/-
Grid & Cover - 18M MirrorGlaze White	913713645401	1	3488/-
Grid & Cover - 1M MirrorGlaze Black	913713946901	1	465/-
Grid & Cover - 2M MirrorGlaze Black	913713947001	1	465/-
Grid & Cover - 3M MirrorGlaze Black	913713947101	1	660/-
Grid & Cover - 4M MirrorGlaze Black	913713947201	1	865/-
Grid & Cover - 6M MirrorGlaze Black	913713947301	1	1135/-
Grid & Cover - 8M MirrorGlaze Black	913713947401	1	1230/-
Grid & Cover - 8M Sq MirrorGlaze Black	913713645801	1	1755/-
Grid & Cover - 12M MirrorGlaze Black	913713645901	1	2326/-
Grid & Cover - 18M MirrorGlaze Black	913713646001	1	3488/-
Grid & Cover - 1M MirrorGlaze Grey	913713947501	1	465/-
Grid & Cover - 2M MirrorGlaze Grey	913713947601	1	465/-
Grid & Cover - 3M MirrorGlaze Grey	913713947701	1	660/-
Grid & Cover - 4M MirrorGlaze Grey	913713947801	1	865/-
Grid & Cover - 6M MirrorGlaze Grey	913713947901	1	1135/-
Grid & Cover - 8M MirrorGlaze Grey	913713948001	1	1230/-
Grid & Cover - 8M Sq MirrorGlaze Grey	913713645501	1	1755/-
Grid & Cover - 12M MirrorGlaze Grey	913713645601	1	2326/-
Grid & Cover - 18M MirrorGlaze Grey	913713645701	1	3488/-



Smart+ Range

PRESENTING

Smart+

- Blend of Glossy & MATT finish makes it Premium
- Triple Protection Technology
- Light weight/ultra-durable
- Great strength due to unique honeycomb construction
- Shrouded terminals: No risk of getting shocks, safe switches
- Switches tested up to 1,00,000 operations



Global product description	12NC	RPU*	Unit MRP
Switch			
Switch - 1M-1W 6AX Smart+ Matt Black	913713639901	20	107
Switch with ind. - 1M-1W 6AX Smart+MattBlack	913713640001	20	229
Switch - 1M 2W 6AX Smart+ Matt Black	913713640101	20	184
Bell Push - 1M 6A Smart+ Matt Black	913713640201	20	162
Bell Push with ind. - 1M 6A Smart+ Matt Black	913713640301	20	196
Jumbo B.P. with ind - 2M 6A Smart+ Matt Black	913713640401	10	242
Switch - 1M-1W 10AX Smart+ Matt Black	913713638801	20	107
Switch ind. - 1M-1W 10AX Smart+Matt Black	913713638901	20	229
Switch - 1M-2W 10AX Smart+ Matt Black	913713639001	20	184
Switch - 2M-1W 10AX Smart+ Matt Black	913713643201	10	196
Switch - 2M-2W 10AX Smart+ Matt Black	913713643301	10	199
Bell Push - 1M 10A Smart+ Matt Black	913713639101	20	162
Bell Push with ind. - 1M10A Smart+Matt Black	913713639201	20	196
Jumbo B.P. with ind. - 2M10A Smart+Matt Black	913713639601	10	242
Switch - 1M-1W 16AX Smart+ Matt Black	913713639301	20	186
Switch ind. - 1M-1W 16AX Smart+ Matt Black	913713639401	20	218
Switch - 1M-2W 16A Smart+ Matt Black	913713639501	20	323
Switch - 1M-1W 20A Smart+ Matt Black	913713640601	20	200
Switch with ind. - 1M-1W 20A Smart+ Matt Black	913713640501	20	225
Switch DP -2M 20A Smart+ Matt Black	913713639701	10	464
Switch DP - 2M 32A Smart+ Matt Black	913713639801	10	651
Socket			
2/3 Pin Socket - 2M 6A Smart+ Matt Black	913713641401	10	175
Universal Socket - 2M 13A Smart+ Matt Black	913713641501	10	347
3 Pin Socket - 2M 16A Smart+ Matt Black	913713641601	10	305
3 Pin Socket - 2M 6-16A Smart+ Matt Black	913713641701	10	323
2 Pin Socket -1M 6A Smart+ Matt Black	913713641801	10	140
3 Pin Socket - 2M 6-25A Smart+ Matt Black	913713641901	10	372
5 - Pin Socket - Smart+ Matt Black	913713643901	10	174
Controller			
Fan regulator - 1M100W Smart+ Matt Black	913713638701	10	562
Fan regulator - 100W Smart+ Matt Black	913713638501	5	732
Controller Light - 1M 250W Smart+ Matt Black	913713638601	10	439
Functional Insert			
Conn. RJ11 w/o Shutter - Smart+ Matt Black	913713640801	20	110
Conn. RJ11 with Shutter - Smart+ Matt Black	913713640901	20	160
Connector RJ 45 - Smart+ Matt Black	913713641001	40	66
Connector TV Socket - Smart+ Matt Black	913713641101	20	173
Connector RJ45 Socket - Smart+MattBlack	913713641201	20	652
Connector RJ11 Double Jack - Smart+MattBlack	913713641301	20	321
Trip starter - 32A - Smart+ Matt Black	913713644201	10	377
Motor starter 20A - Smart+ Matt Black	913713642001	5	762
Motor starter 25A - Smart+ Matt Black	913713642101	5	762
Switch blank -1M - Smart+ Matt Black	913713640701	40	54
1M USB Charger - Smart+ Matt Black	913713643101	10	823
Grid & Cover			
Grid & Cover - 1M Smart+ Matt Black	913713642201	10	628
Grid & Cover - 2M Smart+ Matt Black	913713642301	10	627
Grid & Cover - 3M Smart+ Matt Black	913713642401	10	750
Grid & Cover - 4M Smart+ Matt Black	913713642501	5	877
Grid & Cover - 6M Smart+ Matt Black	913713642601	5	1163
Grid & Cover - 8M Smart+ Matt Black	913713642701	5	1267
Grid & Cover - 8M Sq. Smart+ Matt Black	913713642801	5	1404
Grid & Cover - 12M Smart+ Matt Black	913713642901	5	1860
Grid & Cover - 18M Smart+ Matt Black	913713643001	5	2791
Hotel Range			
DND Switch Ind. - 1M 1W Smart+ Matt Black	913713643401	10	206
MMR Switch Ind. - 1M 1W Smart+ Matt Black	913713643501	10	206
Electronic Key Tag Switch - Smart+ Matt Black	913713643601	1	3600
Shaver socket - 115/240V Smart+ Matt Black	913713643701	1	5221
Electronic Foot Lamp 2M Smart+ Matt Black	913713643801	5	662
Curtain Switch - Smart+ Matt Black - up	913713644001	20	198
Curtain Switch - Smart+ Matt Black - down	913713644101	20	198


Metallica Range

PRESENTING

Metallica

- Premium metallic finishes
- Grey colour inserts to enhance the decor.
- Triple Protection Technology - Safe even with wet hands
- Dual Shutter Technology - Extra safety
- Innovative Front Removal and Insertion Technology - Easy installation
- 1 lakh Clicks

Create impression with
Metallic touch



**TripleProtection®
technology**

Safe even with
wet hands.



**DualShutter®
Technology**

Separate shutter for
two pin connection
and the earth pin



**Front Removal
and insertion
Technology**

Easy installation.

Global product description	12NC	RPU*	Unit MRP
Switch			
Switch - 1M 1Way 10AX	913713969801	20	110
Switch with ind. - 1M 1Way 10AX	913713969901	20	196
Switch - 1M 2way 10AX	913713970001	20	160
Switch Bell Push - 1M 10A	913713970101	20	140
Switch Bell Push with ind. - 1M 10A	913713970201	20	195
Jumbo Bell Push with ind. - 2M10A	913713970301	10	210
Switch - 1M 1way 20A	913713970401	20	175
Switch with ind. - 1M 1Way 20A	913713970501	20	185
Switch - 1M 2Way 16A	913713970601	20	280
Switch DP - 2M 20A	913713973201	10	405
Switch DP - 2M 32A	913713973301	10	565
Socket			
2/3 Pin Socket - 2M 6A	913713970701	10	165
Universal Socket - 2M 13A	913713970801	10	305
3 Pin Socket - 2M 16A	913713970901	10	265
3 Pin Socket - 2M 6-16A	913713971001	10	275
3 Pin Socket - 2M 6-25A	913713971101	10	315
2 Pin Socket - 1M 6A	913713973401	10	120
5 Pin Socket - 2M 6A	913713973501	10	120
Controller			
Fan Regulator - 1M 100W	913713971201	10	480
Fan Regulator - 2M 100W	913713971301	5	630
Controller Light - 1M 250W	913713971401	10	630
Functional Insert			
Connector RJ 11 w/o Shutter	913713971501	20	95
Connector RJ11 with Shutter	913713971601	20	140
Connector TV Socket	913713971701	20	150
Connector RJ 45 with Socket	913713971801	20	565
Connector RJ 11 Double Jack	913713971901	20	170
Motor starter 20A	913713972001	5	575
Motor starter 25A	913713972101	5	575
Switch blank -1M	913713972201	40	35
Trip Starter - 25A	913713974001	10	300
Trip Starter - 32A	913713974101	10	300
1M USB 2.0	913713974201	10	860
1M INDICATOR	913713996501	20	140
Grid & Cover			
Grid & Cover - 1M	913713972301	15	160
Grid & Cover - 2M	913713972401	15	160
Grid & Cover - 3M	913713972501	10	195
Grid & Cover - 4M	913713972601	8	235
Grid & Cover - 6M	913713972701	5	325
Grid & Cover - 8ML Small	913713972801	5	425
Grid & Cover - 8M Square	913713972901	5	425
Grid & Cover - 12M	913713973001	5	525
Grid & Cover - 18M	913713973101	5	600
Hotel Range			
DND Switch with ind. - 1M 1W 6A	913713973601	10	180
MMR Switch with ind. - 1M 1W 6A	913713973701	10	180
Electronic Key Tag	913713973801	1	3020
Shaver Socket - 115V/240V	913713973901	1	3460
DND & MMR Indicator	913713996601	10	620

Durro range

PRESENTING

Durro

- Brass connectors for extra long life
- Shrouded terminal with captive screw
- Triple Protection Technology - Safe even with wet hands
- Dual Shutter Technology - Extra safety
- Innovative Front Removal and Insertion Technology - Easy installation
- 1 lakh Clicks

Durability with Style



Shrouded terminals with captive screws



1,00,000 Operations*

Brass connectors for extra long life



DualShutter® Technology

Separate shutter for two pin connection and the earth pin



TripleProtection® Technology

Safe even with wet hands



Front Removal and Insertion Technology

Easy installation

Global product description	12NC	RPU*	Unit MRP
Switch			
Switch - 1M 1Way 10AX	913713987901	50	38
Switch with ind. - 1M-1W 10AX	913713988001	20	110
Switch - 1M-2W 10AX	913713988101	20	80
Bell Push - 1M 10A	913713988201	20	74
Jumbo B.P. with ind. - 2M 10A	913713988301	10	110
Switch - 1M-1W 16AX	913713988401	20	90
Switch with ind. - 1M-1W 16AX	913713988501	20	110
Switch with ind. - 1M-1W 20A	913713988701	20	140
Switch - 1M-1way 20A	913713988801	20	110
Switch DP - 2M 20A	913713988901	10	290
Switch DP - 2M 32A	913713989001	10	290
Socket			
2 Pin Socket - 1M 6A	913713989101	20	74
5 Pin socket - 2M6A without Shutter	913713989201	10	90
5 Pin socket - 2M 6A with Shutter	913713989301	10	99
3 Pin socket - 2M 6-16A	913713989501	10	155
3 Pin socket - 2M 6-25A	913713989601	10	165
Universal socket - 2M 13A	913713989701	10	175
Controller			
Fan regulator - 1M 100W	913713989801	10	310
Fan regulator - 2M 100W	913713989901	5	380
Controller Light - 1M 450 W	913713990001	10	360
Controller Light - 2M 650W	913713990101	5	440
Functional Insert			
Cord Outlet - 1M	913713990201	20	60
Connector RJ11 with Shutter	913713990301	20	88
Connector TV Socket	913713990501	20	88
Connector RJ 45 with Socket	913713990601	20	420
Motor starter - 25A	913713990701	5	490
1M indicator Smart Red	913713990801	20	94
Switch blank - 1M	913713990901	40	20
1M USB Charger	913713991001	10	780
Trip starter - 6A	913713992501	10	210
Trip starter - 10A	913713992601	10	210
Trip starter - 16A	913713992701	10	210
Trip starter - 20A	913713992801	10	210
Trip starter - 25A	913713992901	10	210
Trip starter - 32A	913713993001	10	210
Grid & Cover			
Grid & Cover - 1M	913713991101	15	62
Grid & Cover - 2M	913713991201	15	62
Grid & Cover - 3M	913713991301	10	84
Grid & Cover - 4M	913713991401	8	96
Grid & Cover - 6M	913713991501	5	135
Grid & Cover - 8ML Small	913713991601	5	175
Grid & Cover - 8M Square	913713991701	5	175
Grid & Cover - 12M	913713991801	5	212
Grid & Cover - 18M	913713991901	5	240
Hotel Range			
DND & MMR Indicator 240 V AC	913713992001	10	390
DND Switch With Indicator - 1M 1W 6AX	913713992101	10	120
MMR Switch With Indicator - 1M 1W 6AX	913713992201	10	120
Electronic Key Tag	913713992301	1	2950
Shaver Socket - 115V/240V	913713992401	1	2870

Active range

Cover + Grid Frame**



Global product description	12NC	RPU*	Unit MRP
1M - White	913702304601	10	84/-
2M - White	913702304701	10	88/-
3M - White	913702304801	10	110/-
4M - White	913702304901	10	132/-
6M - White	913702305001	5	181/-
8M Linear - White	913702305101	5	232/-
8M Square - White	913702305201	5	232/-
12M - White	913702305301	5	292/-
18M - White	913702305401	5	342/-

Common items

Metal boxes**



Global product description	12NC	RPU*	Unit MRP
1/2M	913702300901	1	75/-
3M	913702301001	1	89/-
4M	913702301101	1	100/-
6M	913702301201	1	133/-
8M square	913702301301	1	208/-
8M linear	913702301401	1	179/-
12M	913702301501	1	238/-
18M	913702302901	1	315/-

Surface boxes (New Introduction)



Global product description	12NC	RPU*	Unit MRP
1/2M	913702330001	1	75/-
3M	913702330101	1	86/-
4M	913702330201	1	108/-
6M	913702330301	1	152/-
8M Linear	913702330401	1	196/-
12M	913702330601	1	250/-

Distribution Boards



Global product description	12NC	RPU*	Unit MRP
METAL ENCLOSURE 2W	913713968601	1	260/-
METAL ENCLOSURE 4W	913713969701	1	370/-
Single Door SPN 4 Way	913713968701	1	960/-
Single Door SPN 8 Way	913713968801	1	1165/-
Double Door SPN 4 Way	913713968901	1	1500/-
Double Door SPN 6 Way	913713969001	1	1760/-
Double Door SPN 8 Way	913713969101	1	1940/-
Double Door SPN 12 Way	913713969201	1	2360/-
Double Door SPN 16 Way	913713969301	1	3150/-
Double Door TPN 4 Way	913713969401	1	3750/-
Double Door TPN 6 Way	913713969501	1	4625/-
Double Door TPN 8 Way	913713969601	1	5850/-

* Retail pack unit ** Suitable for industrial / commercial use

Hospitality range



Switches**

Global product description	12NC	RPU*	Unit MRP
Electronic Foot Lamp 2M	913702304001	5	496/-
DND Switch With Indicator - 1M -1 way 6A	913702304201	10	155/-
MMR Switch With Indicator -1M -1 way 6A	913702304301	10	155/-
DND & MMR Indicator	913702304101	10	618/-
Electronic Key Tag 2M	913702309301	1	2028/-
Shaver Socket 115V/240V - 2M	913702330801	1	3010/-

Electrical accessories

Solution Box with Socket and Plug



Global product description	12NC	RPU*	Unit MRP
Solution Box - 25A Trip Starter with Socket & Plug	913702339101	1	720/-
Solution Box - 25A Motor Starter with Socket & Plug	913702333601	1	1050/-

3 Pin Plug Tops - 6A & 16A



Global product description	12NC	RPU*	Unit MRP
3 Pin Plug 6A	913713678501	20	60/-
3 Pin Plug 16A	913713678601	10	90/-

Lamp Holders



Global product description	12NC	RPU*	Unit MRP
Straight Lamp Holder - Economy Range	913713666501	50	25/-
Angular Lamp Holder - Economy Range	913713666701	50	25/-
Jumbo Lamp Holder	913713684301	50	45/-
Deco Lamp Holder Straight	913713699901	6	48/-
Deco Lamp Holder Angular	913713900101	6	48/-

Modular Lamp Holder B22 Straight & Angular - White & Grey



Global product description	12NC	RPU*	Unit MRP
Modular Lamp Holder B22 Straight - Grey	913713859001	50	80/-
Modular Lamp Holder B22 Angular - Grey	913713859101	50	82/-
Modular Lamp Holder B22 Straight - White	913713859201	50	80/-
Modular Lamp Holder B22 Angular - White	913713859301	50	82/-

Hospitality range

Philips Smart Buzz Doorbell



Global product description	12NC	RPU*	Unit MRP
Smart Buzz Ding Dong Doorbell Blue	913713818701	20	210/-
Smart Buzz Ding Dong Doorbell Grey	913713818801	20	210/-

Philips Electronic Door bell



Global product description	12NC	RPU*	Unit MRP
Smart harmony musical Doorbell - Cyan	913713833101	20	240/-
Smart harmony musical Doorbell - Grey	913713825601	20	240/-

Ceiling Rose



Global product description	12NC	RPU*	Unit MRP
Ceiling Rose - Small	913713825701	80	30/-
Ceiling Rose - Jumbo	913713825801	70	38/-

MCB, RCCB & Isolators



Changeover Switch

Global product description	12NC	RPU*	Unit MRP
Changeover Switch DP 25A	913713952101	6	1180/-
Changeover Switch DP 40A	913713952201	6	1700/-
Changeover Switch DP 63A	913713952301	6	2035/-
Changeover Switch FP 25A	913713952401	3	2080/-
Changeover Switch FP 40A	913713952501	3	3160/-
Changeover Switch FP 63A	913713952601	3	3820/-

Philips SafeTec MCB - For AC applications of 0.5-63A

Global product description	Rated Current	12NC	RPU*	Unit MRP
B Curve - Single Pole	6A	913713920049	12	200/-
	10A	913713920149	12	200/-
	16A	913713920249	12	200/-
	20A	913713920349	12	200/-
	25A	913713920449	12	200/-
	32A	913713920549	12	200/-
	40A	913713920649	12	400/-
	50A	913713920749	12	440/-
C-Curve - Single Pole	0.5A	913713925449	12	280/-
	1A	913713925549	12	280/-
	2A	913713925649	12	280/-
	3A	913713925749	12	280/-
	4A	913713925849	12	280/-
	5A	913713925949	12	280/-
	6A	913713926049	12	210/-
	10A	913713926149	12	210/-
	16A	913713926249	12	210/-
	20A	913713926349	12	210/-
	25A	913713926449	12	210/-
	32A	913713926549	12	210/-
	40A	913713926649	12	420/-
	50A	913713926749	12	460/-
	63A	913713926849	12	460/-

Global product description	Rated Current	12NC	RPU*	Unit MRP	
C-Curve - Single Pole Neutral	0.5A	913713926949	6	650/-	
	1A	913713927049	6	650/-	
	2A	913713927149	6	650/-	
	3A	913713927249	6	650/-	
	4A	913713927349	6	650/-	
	5A	913713927449	6	650/-	
	6A	913713927549	6	590/-	
	10A	913713927649	6	590/-	
	16A	913713927749	6	590/-	
	20A	913713927849	6	590/-	
	25A	913713927949	6	590/-	
	32A	913713928049	6	590/-	
	40A	913713928149	6	840/-	
	50A	913713928249	6	910/-	
	63A	913713928349	6	910/-	
	C-Curve - Double Pole	0.5A	913713928449	6	750/-
		1A	913713928549	6	750/-
2A		913713928649	6	750/-	
3A		913713928749	6	750/-	
4A		913713928849	6	750/-	
5A		913713928949	6	750/-	
6A		913713929049	6	610/-	
10A		913713929149	6	610/-	
16A		913713929249	6	610/-	
20A		913713929349	6	610/-	
25A		913713929449	6	610/-	
32A		913713929549	6	610/-	
40A		913713929649	6	890/-	
50A		913713929749	6	1010/-	
63A		913713929849	6	1010/-	
C-Curve - Triple Pole		0.5A	913713929949	4	990/-
		1A	913713930049	4	990/-
	2A	913713930149	4	990/-	
	3A	913713930249	4	990/-	
	4A	913713930349	4	990/-	
	5A	913713930449	4	990/-	
	6A	913713930549	4	950/-	
	10A	913713930649	4	950/-	
	16A	913713930749	4	950/-	
	20A	913713930849	4	950/-	
	25A	913713930949	4	950/-	
	32A	913713931049	4	950/-	
	40A	913713931149	4	1400/-	
	50A	913713931249	4	1470/-	
	63A	913713931349	4	1470/-	
	C-Curve - Triple Pole Neutral	0.5A	913713929949	3	990/-
		1A	913713931549	3	1380/-
2A		913713931649	3	1380/-	
3A		913713931749	3	1380/-	
4A		913713931849	3	1380/-	
5A		913713931949	3	1380/-	
6A		913713932049	3	1220/-	
10A		913713932149	3	1220/-	
16A		913713932249	3	1220/-	
20A		913713932349	3	1220/-	
25A		913713932449	3	1220/-	
32A		913713932549	3	1220/-	
40A		913713932649	3	1740/-	
50A		913713932749	3	1820/-	
63A		913713932849	3	1820/-	
C-Curve - Four Pole		0.5A	913713932949	3	1490/-
		1A	913713933049	3	1490/-
	2A	913713933149	3	1490/-	
	3A	913713933249	3	1490/-	
	4A	913713933349	3	1490/-	
	5A	913713933449	3	1490/-	
	6A	913713933549	3	1300/-	
	10A	913713933649	3	1300/-	
	16A	913713933749	3	1300/-	
	20A	913713933849	3	1300/-	
	25A	913713933949	3	1300/-	
	32A	913713934049	3	1300/-	
	40A	913713934149	3	1780/-	
	50A	913713934249	3	1880/-	
	63A	913713934349	3	1880/-	

Philips SafeTec Isolator – For AC applications of 40-100A

Global product description	Rated Current	12NC	RPU*	Unit MRP
Single Pole	40A	913713934549	12	260/-
	63A	913713934649	12	300/-
Double Pole	40A	913713935049	6	380/-
	63A	913713935149	6	490/-
	80A	913713935249	6	625/-
	100A	913713935349	6	625/-
Triple Pole	40A	913713935549	4	750/-
	63A	913713935649	4	830/-
	80A	913713935749	4	980/-
	100A	913713935849	4	980/-
Four Pole	40A	913713936049	3	860/-
	63A	913713936149	3	900/-
	80A	913713936249	3	1150/-
	100A	913713936349	3	1150/-

Philips SafeTec RCCB – For AC applications of 16-63A

Global product description	Rated Current	Sensitivity	12NC	RPU*	Unit MRP
Double Pole	16A	30mA	913713936449	6	2520/-
		100mA	913713936949	6	2460/-
		300mA	913713937449	6	2460/-
	25A	30mA	913713936549	6	2520/-
		100mA	913713937049	6	2460/-
		300mA	913713937549	6	2460/-
32A	30mA	913713936649	6	2520/-	
	100mA	913713937149	6	2520/-	
	300mA	913713937649	6	2520/-	
40A	30mA	913713936749	6	2520/-	
	100mA	913713937249	6	2520/-	
	300mA	913713937749	6	2520/-	
63A	30mA	913713936849	6	3350/-	
	100mA	913713937349	6	3350/-	
	300mA	913713937849	6	3350/-	
Four Pole	25A	30mA	913713938049	3	3260/-
		100mA	913713938549	3	3260/-
		300mA	913713939049	3	3260/-
	40A	30mA	913713938249	3	3260/-
		100mA	913713938749	3	3260/-
		300mA	913713939249	3	3260/-
	63A	30mA	913713938349	3	3660/-
		100mA	913713938849	3	3660/-
		300mA	913713939349	3	3660/-

* Retail pack unit

Notes